



Natural Oak Laminated Block

## FLOOR BEAUTY THAT SELLS ON SIGHT

**. . . And It Costs No More Than An Ordinary Floor!**

Wood-Mosaic offers the *only* complete line of genuine hardwood block floors — in a variety of woods and limitless combinations — prefinished and unfinished. These floors are made of the finest Appalachian hardwoods which have long been famous for their beautiful grain, uniform color and durability.

- Beautifully prefinished with "Vinyl Alkyd"—an exclusive with Wood-Mosaic and a finish which gives up to 3 to 4 times longer wear than ordinary finishes.
- Laminated construction—prevents buckling, warping, cracks and shrinkage.
- Easy to install—even over existing floors.
- Built for long life—easy maintenance.
- Resilient under foot.
- Have excellent thermal or insulating qualities.

SMART DÉCOR STARTS WITH THE FLOOR

WOOD-MOSAIC CORPORATION • LOUISVILLE, KENTUCKY, IN CANADA: WOODSTOCK, ONTARIO





Cherry with Walnut Bands


## Wood-Mosaic

*Prefinished*

### LAMINATED BLOCK FLOORS



### Monticello Pattern




$\frac{1}{2}$ " x 9" x 9" Blocks  
and  
 $\frac{1}{2}$ " x 4" x 13" Bands

Walnut  
with  
Walnut Bands

### Marie Antoinette Pattern

$\frac{1}{2}$ " x 9" x 9" Blocks  
and  
 $\frac{1}{2}$ " x 2" x 20" Bands




Toast Brown Oak  
with  
Toast Brown Oak Bands



Natural Oak with Walnut Bands





Natural Oak



Toast Brown Oak

## Wood-Mosaic

*Prefinished*

### **SOLID BLOCK FLOORS**



### **Haddon Hall Pattern**


$\frac{5}{16}$ " x 12" x 12"




Walnut



Gothic Oak



Walnut



Cherry




Teak





Natural Oak



Toast Brown Oak

## Wood-Mosaic

*Prefinished*

### **SOLID BLOCK FLOORS**



### **Clustered Square Pattern**

$\frac{5}{16}$ " x 12" x 12"




Cherry



Gothic Oak



Walnut



Cherry




Teak



# Wood-Mosaic

## UNFINISHED PATTERN FLOORS




**Fontainebleau - Quartered Oak**

*1 3/16" thick - 39" pattern*



**Colonial Plank - Gothic Oak**

*1 3/16" thick x random lengths and widths*



**Monticello - Walnut**

*1 3/16" thick x 10" x 10"—4 units shown*




**Herringbone - Teak**

*1 3/16" thick - 2 1/4" wide, x 9", or 11 1/4" or 13 1/2"*

*All above patterns available in quartered white oak, plain red or white oak, walnut, cherry, gothic oak and teakwood.*

AT  
2755  
W81  
195-?





**Natural Oak**

●

**PREFINISHED  
LAMINATED  
BLOCK**

$\frac{1}{2}$ " x 9" x 9"


**1 Balanced 3-Ply Construction**

Wood-Mosaic Block is of 3-ply construction, cross-laminated and bonded under enormous pressure with water-proof glue to provide high dimensional stability. These blocks will not warp, buckle, expand, or shrink, when properly installed.





1/2" x 9" x 9"



## Toast Brown Oak

●  
**PREFINISHED  
 LAMINATED  
 BLOCK**

**2**

## "Vinyl Alkyd" Finish

Each block is beautifully prefinished at the factory with Wood-Mosaic's exclusive "Vinyl Alkyd" finish. This durable, lustrous finish is unaffected by most household spills including alcohol, nail polish, ink, fruit juices, etc. "Vinyl Alkyd" lasts up to 3 to 4 times longer than ordinary finishes.






1/2" x 9" x 9"



CHECKERBOARD




PATTERN

**Maple**  
●  
**PREFINISHED  
LAMINATED  
BLOCK**

**3** Variety of Wood-Mosaic Woods in  
Limitless Combinations

Wood-Mosaic offers the most complete line of hardwood floors in America—a variety of patterns and limitless combinations of genuine hardwoods to create a distinctive floor for any contemporary or traditional décor.





**Walnut**

**PREFINISHED  
LAMINATED  
BLOCK**

$\frac{1}{2}$ " x 9" x 9"

**4 "Surefit" Tongue and Groove Construction**

Wood-Mosaic "Surefit" tongues and grooves eliminate all guesswork in laying, assure a smooth surface and precision fit.







**Cherry**

●

**PREFINISHED  
LAMINATED  
BLOCK**

**5 Easy Installation**

1/2" x 9" x 9"

"Surefit" milling makes installation of Wood-Mosaic laminated blocks fast, clean and easy. They are especially designed for installation in adhesive over concrete sub-floors—*on, above or below grade*; also over wood, plywood, terrazzo, resilient tile, etc. Ideal for radiant heat. No nailing, sanding or finishing is necessary. When installation is completed, the floor is ready for immediate use.